IJAYUSH
International Journal of AYUSH
AYURVEDA • YOGA • UNANI • SIDDHA • HOMEOPATHY
https://internationaljournal.org.in/journal/index.php/ijayush/
ISSN: 2349-7025
OPEN ACCESS
★ PEER REVIEWED ★
MONTHLY

Review Article	Volume 15 Issue 10	October 2026

MARMA CHIKITSA: PRINCIPLE, INDICATIONS, AND CLINICAL APPLICATIONS IN *AYURVEDA*

Acharya Manish[1], *Dr. Nisha Mor[2], Dr. Ish Sharma[3], Dr Avira Gautam[4]

[1]Director and Meditation Guru, Jeena Sikho Lifecare Limited, India
[2]Research Doctor, Department of Research, Jeena Sikho Lifecare Limited, India
[3]Senior Consultant, Director – Medical Sciences and Research, Jeena Sikho Lifecare Limited, India
[4]National Medical Head, Jeena Sikho Lifecare Limited, India

***Corresponding Author:** Dr. Nisha Mor, Research Doctor, Department of Research, Jeena Sikho Lifecare Limited, India, *Email:* nishamor27@gmail.com

DOI: https://doi.org/10.5281/zenodo.23959988

Abstract

Background: The classical *Ayurvedic* concept of *Marma* denotes specialized *Sandhi Sthana* where five structural substrates—*Mamsa* (muscle), *Sira* (vessels), *Snayu* (ligaments/tendons), *Asthi* (bones), and *Sandhi* (joints)—converge. These anatomical sites serve as primary repositories for *Prana* (vital life force), making them central to *Deha Samshraya* (bodily integrity) and systemic homeostasis. Classical *Brihatrayi* texts, particularly the *Sushruta Samhita*, highlight their extreme vulnerability during *Shastrakarma* (surgical interventions) and their role in *Abhighata* (trauma) management. **Objectives:** To critically appraise the scriptural anatomy of *Marma* points and evaluate their contemporary clinical applications in *Marma Chikitsa* (digital stimulation therapy) by cross-contextualizing traditional Ayurvedic doctrines with modern biomedical and neuroanatomical principles. **Methods:** A narrative literature review was executed by systematically cross-referencing classical Ayurvedic treatises—primarily the *Sushruta Samhita* (*Sharira Sthana*), *Charaka Samhita*, and *Ashtanga Hridaya*—with contemporary medical databases including PubMed, Google Scholar, and the AYUSH Research Portal [1-3] **Results:** The literature identifies 107 distinct *Marma* points distributed across the *Shadanga* (six bodily regions). These points are systematically categorized based on *Rachana* (structural dominance), *Sthana* (topography), *Pramana* (measurement), and *Vidha-lakshanam* (prognostic trauma outcomes). Beyond serving as surgical contraindications (*Varjya Sthana*), targeted *Marma Taadana* (gentle digital stimulation) modulates *Vyana Vayu* (a subtype of somatic Vata), alleviates *Shoola* (pain), clears *Srotas* (microchannels), and balances neuromuscular dysfunction. **Conclusion:** *Marma* science forms a functional bridge linking traditional Ayurvedic anatomy to non-invasive therapeutics. Contextualizing these points with neurovascular bundles and myofascial pathways provides a scientific rationale for *Shoola Prashamana* (pain management) and rehabilitation.

Keywords: *Brihatrayi*; *Marma*; *Marma Chikitsa*; *Prana*; *Shoola Prashamana*; *Srotas*; *Sushruta Samhita*.

Introduction

1. Etymology and Definition

The term *Marma* originates from the Sanskrit root *"Mri"* **(*मृङ् प्राणेचागे*), which fundamentally denotes death, vulnerability, or a site of vital life force.**

"*म्रियते अस्मिन् इति मर्म।*"

Classical texts define *Marma* as those precise anatomical coordinates where injury or trauma (*Abhighata*) induces exceptional pain or lethal consequences. In the *Sushruta Samhita*[4], Acharya Sushruta defines these points as *Sandhi Sthanas*—critical junctions where five specific somatic elements structurally intersect:

- ***Mamsa*** (muscular architecture)
- ***Sira*** (vascular networks, including veins and arteries)
- ***Snayu*** (ligamentous and tendinous structures)
- ***Asthi*** (osseous tissues)
- ***Sandhi*** (articular configurations)

Acharya Sushruta emphasizes that these specialized junctions are the native biological seats of *Prana* (the fundamental bio-energetic life force [4]. This conceptual framework is corroborated by subsequent authorities like *Acharya Vagbhata* in the *Ashtanga Hridaya* [5] and *Acharya Charaka* in the *Charaka Samhita* [6], who highlight how these nodes govern internal systemic health. Consequently, for the student clinician, any *Abhighata* to these highly sensitive coordinates triggers an immediate cascading failure of *Prana*. This manifests clinically as profound physiological shock, permanent structural disability (*Vaikalya*), or sudden mortality.

Historical Evolution of *Marma* Science

Vedic Foundations and Early Recognition

The roots of *Marma* science trace back to the ancient Vedic era, making it one of the earliest recorded anatomical and healing frameworks in Indian history. Early references are found in classical texts like the *Rigveda* and *Atharvaveda*, which discuss protective battle gear (*Kavacha*) and vulnerable body zones prone to combat injuries[7]. While these foundational texts do not explicitly define the term "*Marma*" in a modern medical context, they demonstrate that ancient civilizations possessed an early understanding of anatomically critical areas that required shielding from trauma.

Surgical Integration in the Sushruta Samhita

The concept underwent systematic codification during the golden age of *Ayurvedic* literature, most notably within the *Sushruta Samhita*. *Acharya Sushruta*, universally revered as the Father of Surgery, integrated Marma points directly into surgical practice **(***Sushruta, Sharira Sthana, Chapter 6, Verses 1–35)*. He asserted that a thorough mastery of these vital points was mandatory for any practicing surgeon, given that accidental trauma to these structures during operations could induce permanent disability or sudden death. To safeguard patients, he incorporated extensive documentation regarding the exact mapping, measurements, structural tissues, and clinical outcomes of each point into ancient surgical curricula.

Contributions of *Charaka* and *Vagbhata*

Subsequent classical authorities expanded upon this knowledge by highlighting the role of Marma in internal medicine and everyday physiology. *Acharya Charaka* (*Charaka, Siddhi Sthana*, Chapter 9, Verses 1–12**)** focused on the intrinsic link between these vital nodes and *Prana* (the life force), detailing how

they preserve systemic health. Meanwhile, *Acharya Vagbhata* ***(Vagbhata, Sharira Sthana*****, Chapter 4, Verses 1–70) provided a comprehensive anatomical definition, characterizing a *Marma* point as a precise confluence where muscles, blood vessels, ligaments, bones, and joints intersect alongside concentrated vital energy.**

Cross-Disciplinary Influence: Martial Arts and Siddha

Beyond mainstream *Ayurvedic* texts, the manipulation of vital points significantly shaped regional combat and healing traditions in Southern India, such as the martial art of *Kalaripayattu* and the *Siddha (Varmam)* medical system. Within these frameworks, the application of *Marma* knowledge served a dual purpose: warriors studied these points to defend their own vulnerabilities and incapacitate opponents, while traditional healers utilized mild, calculated stimulation of the same nodes to accelerate recovery and restore physiological homeostasis following an injury.

2. Prana Ashraya: Reservoirs of Vital Force

In contrast to the reductionist view of modern anatomy that evaluates structural components in isolation, Ayurveda conceptualizes *Marma* points as localized hubs of high bio-energetic density. As documented in the *Ashtanga Hridaya*, the vital current (*Prana*) flows globally across the organism but reaches its peak concentration within these 107 discrete nodes. Within these vital coordinates, the profound principle of *Loka-Purusha Samya* (the macrocosm-microcosm continuum) manifests directly at a cellular level. These sites house a delicate, active equilibrium of the core *Agni-Soma-Vayu* forces of creation:[8]

- ***Soma*****:** Represents the cohesive, fluid, *Saumya* structural matrix corresponding to ***Kapha Dosha.***
- ***Agni*****:** Represents the metabolic, transformative, *Agneya* fire corresponding to ***Pitta Dosha***.
- ***Vayu*****:** Represents the kinetic, *Vayavya* signaling and neurological movement corresponding to ***Vata Dosha***.

Furthermore, this somatic framework is intrinsically bound to the ***Manasika Triguna***—the primary psychological pillars of

- ***Satva*** (mental clarity and balance)
- ***Rajas*** (psychic dynamism and drive)
- ***Tamas*** (structural grounding and inertia).

This dense, multi-dimensional consolidation of physical structural substrates and bio-regulating forces explains why these specific coordinates act as highly volatile ***Marma Sthanas***. Consequently, they display an incredibly fragile resistance to even minimal ***Abhighata*** (injury), yet they provide a highly effective, high-conductance pathway for non-invasive ***Marma Chikitsa*** to restore systemic harmony[9].

3. Structural and Prognostic Frameworks (Marma Vibhaga)

To interpret their clinical behavior, classical texts utilize systematic classification metrics. Classical treatises identify 107 discrete *Marma* points distributed across the *Shadanga* (the four limbs, the trunk, and the head/neck region).[10]

Classification by *Rachana* –Marma

- ***Mamsa Marma*** **(11 points):** Dominations of muscular and fascial structures.
- ***Sira Marma*** **(41 points):** Dominations of major vascular channels, arterial loops, and venous networks.
- ***Snayu Marma*** **(27 points):** Dominations of ligamentous structures, aponeuroses, and deep tendons.
- ***Asthi Marma*** **(8 points):** Coordinates centered directly on osseous structural nodes.

- ***Sandhi Marma* (20 points):** Points situated directly at the articular intersections of major joints.

Classification According to Regional Distribution

The 107 Marma points are distributed throughout the human body as follows:

Body Region	*Marma* Count
Upper limbs	22
Lower limbs	22
Thorax and Abdomen	26
Head and Neck	37
Total	107

Parinama Marma

The clinical outcome following trauma serves as the baseline for determining the energetic importance of each node.[11]

Table 1: prognostic classifications (*Acharya Sushruta*)

Prognostic Category	*Sanskrit* Nomenclature	Number of Points	Prognostic Timeline Following Trauma	Pathophysiological Mechanism
Instantaneous Fatal	*Sadyo Pranahara*	19	Within 7 days (Immediate Shock)	Rapid depletion of *Agni* and *Prana* energy arrays.
Delayed Fatal	*Kalantara Pranahara*	33	Within 14 to 28 days	Gradual structural decay and exhaustion of *Soma* matrices.
Fatal Upon Extraction	*Vishalyaghna*	3	Fatal if foreign object is pulled out	Sudden escape of trapped *Vayu* leading to neurological collapse.
Disability Inducing	*Vaikalyakara*	44	Permanent functional deformity	Disruption of localized *Snayu* and *Sira* structural systems.
Pain Inducing	*Rujakara*	8	Chronic, debilitating pain	Severe irritation of localized neuro-kinetic *Vata* pathways.[12]

4. *Trimarma*[13]: The Primary Triad of Somatic Vitality

Within the comprehensive topography of the 107 vital centers documented by *Acharya Sushruta*, three principal zones—the *Hridaya* (cardiac center), *Shiras* (cranial matrix), and *Basti* (pelvic-urinary nexus)—are classically designated as the *Trimarma*. These three primary coordinates function as the absolute core pillars of *Prana*, making their clinical preservation the single most critical factor in sustaining human life. Insults or mechanical trauma to this triad trigger catastrophic, systemic homeostatic failure or immediate death, establishing their supreme importance in traditional combat surgery and trauma care.

4.1 *Hridaya Marma* [14]

- **Somatic Architecture:** Positioned within the mediastinal thoracic cavity, the *Hridaya Marma* serves as the central anchor for conscious awareness, systemic macro-circulation, and psychosomatic regulation. Traditional treatises identify the heart as the primary repository of *Prana Vayu, Ojas* (the core biological essence), *Manas* (the cognitive mind), and *Buddhi* (intellect)[15]. It acts as the definitive origin for the primary vascular pathways (*Siras* and *Dhamanis*) that distribute nourishment to the peripheral tissues.
- **Biomedical Integration:** In modern circulatory physiology, the heart drives systemic blood perfusion and is highly modulated by autonomic nervous pathways. Calibrated non-invasive stimulation of the thoracic perimeters can adjust autonomic tone, optimize cardiovascular

parameters, and mitigate emotional or psychological distress by activating bidirectional neuro-cardiac signaling axes.

4.2 *Shira Marma* (The Cranial-Neurological Hub)[16]

- **Somatic Architecture:** The cranial vault is recognized as the supreme governing center of the organism because it contains the brain, cranial nerve tracts, major vascular loops, and the sensory apparatus. Classical *Ayurvedic* literature conceptualizes the *Shiras* as the core seat of sensory integration, sensory processing, and higher executive neurological functions.
- **Biomedical Integration:** Contemporary neuroscience similarly establishes the head as the primary site of the central nervous system, coordinating sensory tracking, motor pathways, neuroendocrine loops, and cognitive processing. Consequently, structural damage or trauma to cranial coordinates yields severe neurological deficits, loss of sensory perception, motor paralysis, or sudden death depending on the specific deep structures compromised.

4.3 *Basti Marma* [17]

- **Somatic Architecture:** Correlating topographically with the urinary bladder and the complex myofascial networks of the pelvic floor, the *Basti Marma* acts as the primary homeostatic hub for fluid regulation and waste excretion. Within classical physiology, this coordinate is identified as the supreme seat of *Apana Vayu*—the critical sub-dosha of *Vata* that regulates micturition, defecation, parturiency, and reproductive dynamics.
- **Biomedical Integration**[18-19]**:** Mechanical insults or external trauma to this pelvic matrix can precipitate severe acute urinary retention, deep internal hemorrhage, retroperitoneal sepsis, and irreversible pelvic floor dysfunction. Contemporary surgical anatomy similarly emphasizes the high density of the pelvic neurovascular plexus and the complex fascial planes of the true pelvis, highlighting the absolute necessity of protective navigation during lower abdominal surgeries and trauma triage.

5 Practical Anatomy of Key *Marma Sthanas*[20]

Within the broad classifications of *Marma Vijnana*, specific coordinates are prioritized because they directly interface with vital internal organs and deep vascular networks.

- **Adhipati Marma:** This *marma* is located at the vertex of the skull, commanding the pathways of consciousness and cognitive integration. Because it holds a dense concentration of *Prana*, classical texts categorize it as a highly sensitive point where deep injury triggers immediate systemic collapse.
- ***Shankha Marma*:** Located at the temples, this vital point sits over the fragile squamous bone structure. Beneath this structural layer rests the middle meningeal artery. Rupture of this vessel from direct trauma leads to intracranial bleeding, justifying its scriptural designation as a highly volatile, life-threatening zone
- ***Sthapani Marma*:** Situated directly between the eyebrows, this center serves as a vital gateway for balancing the mind (*Manas*). Calibrated stimulation of this site is widely used in ***Marma Chikitsa*** to pacify aggravated *Vata*, relieving symptoms like *Shiras-shoola* (headache), restlessness, insomnia, and mental fatigue.
- ***Talahridaya Marma***[21]**:** Positioned at the core centers of the hands and feet, these points are deeply connected to the movement of *Vyana Vayu*. Applying digital pressure to these coordinates stimulates peripheral blood flow, relieves nervous system tension, and acts as an effective catalyst for systemic revitalization.

6. Core Principles and Neuro-Somatic Mechanics of *Marma Chikitsa*

The historical documentation of Marma points evolved from ancient military medicine and *Shalya Tantra*. *Acharya Sushruta* codified these points primarily as *Varjya Sthanas*—strict surgical counter-indications where incisions, cauterization, or invasive procedures are absolutely prohibited:

Sushruta emphasizes that the comprehensive mastery of *Marma* protection constitutes half of the entire science of surgery (*Shalya Tantra Ardha*).

In contemporary integrative medicine, the focus on *Marma* has shifted from a doctrine of surgical avoidance to an active therapeutic modality known as *Marma Chikitsa*.

7)Mechanics of Action

- **Modulation of *Vyana Vayu*:** By applying calculated, rhythmic digital pressure (*Marma Taadana*) to these energetic hubs, the practitioner directly accesses the subtle bio-channels (*Srotas*). This tactile stimulation specifically modulates

Vyana Vayu[24]—the sub-dosha of Vata governing peripheral circulation, cardiac output, and neuromuscular transmission.

- ***Srotoshodhana* (Channel Purification):**

Gentle pressure clears accumulations and blocks within the micro-channels (*Srotas*), re-establishing the unhindered flow of sensory signals and vital fluids.[25-26]

- **Neuro-Vascular Reflexive Interface:** Modern research indicates that these 107 centers correlate with major peripheral nerve plexuses, neuromuscular junctions, and autonomic vascular hubs. Stimulation triggers endorphin release, alters pain-gate pathways, and reduces systemic sympathetic overactivity[27-28]
- This matrix details how physical pressure transforms deep tissue biology across distinct physiological planes:

Table 2:Physical Pressure and Response

Physiological Plane	Biomedical Target and Substrate	Classical *Ayurvedic* Counterpart	Cellular and Tissue-Level Response
Vascular Dynamics	Capillary beds, endothelial walls, and arteriolar loops.	***Sira-Srotas*** System	Calibrated compression triggers local nitric oxide release, inducing immediate vasodilation. This process increases tissue oxygenation and flushes out ischemic inflammatory debris.[29]
Myofascial Architecture	Interstitial fascial planes and collagenous sheets.	***Snayu-Mamsa* Confluences**	Manual stimulation shifts the fascial matrix from a rigid gel state to a fluid state. This action dissolves structural cross-links and microscopic adhesions, lowering resting muscle tension.[30]
Autonomic Control	Visceral nerve endings and the vagal pathway.	Regulatory Switch for ***Vyana Vayu***	Sustained touch balances the autonomic nervous system by down-regulating sympathetic stress responses. This leads to lower heart rates, improved digestion, and stabilized sleep cycles.

Physiological Plane	Biomedical Target and Substrate	Classical *Ayurvedic* Counterpart	Cellular and Tissue-Level Response
Bio-Regulatory Flow	Neuro-vascular networks and hormonal axes.	Clearance of ***Sroto-avarodha***	Clears blocks in body channels to allow the smooth flow of vital currents. This system balances the structural humors, nourishes deep tissue layers, and increases overall vitality.

8) Pain management by Marma chikitsa

In *Ayurvedic* diagnostics, chronic pain (*Shoola*) occurs when the neuro-kinetic force of *Vata Dosha* becomes blocked. When the body's channels suffer from structural compression (*Sroto-avarodha*), fluid movement stops, creating localized ischemia and nerve irritation. *Marma Chikitsa* treats this through a dual mechanism:

- **Mechanical Decompression: *Marma Taadana***) breaks up deep structural density in the *Snayu* (ligaments) and *Mamsa* (muscles)[31]. This mechanical shift relaxes hypertonic fibers and frees entrapped nerve roots.
- **Energetic Re-balancing:** Precise tactile contact balances the downward flow of *Apana Vayu* and the peripheral tracking of *Vyana Vayu*. Clearing these energy hubs opens the channels, restores healthy micro-circulation, and resolves tissue oxygen deprivation.
- **Neuromodulation and Afferent Processing Pathways:** From a biomedical perspective, the rapid pain relief from *Marma* therapy relies on the nervous system's built-in signaling gates. The 107 vital points function as high-density clusters of specialized skin receptors, free nerve endings, and vascular loops.

Targeted Marma Stimulation
↓
Activates Large-Diameter Aβ Sensory Fibers
↓
Spinal Cord Dorsal Horn
↓
Closes the "Nociceptive Gate"
↓
Blocks C-Fiber Chronic Pain Signals

By heavily stimulating non-pain sensory pathways (large Aβ nerve fibers), Marma therapy overrides the slow, chronic pain signals carried by unmyelinated C-fibers at the spinal dorsal horn. This effectively closes the "spinal gate," halting the ascent of pain perception to the cerebral cortex[32].

- **Neurochemical and Inflammatory Regulation**

Clinical pressure on these specialized mama point engages the Hypothalamic-Pituitary-Adrenal (HPA) axis[33]. This neuroendocrine cascade triggers the immediate release of systemic biochemical modulators[34].

9) Target-Specific Mapping for Regional Pain Conditions

Specific coordinates within the 107 vital points serve as highly localized reflexive keys to eliminate pain across distinct anatomical zones.

Table 3: clinical condition and their target Marma points

Clinical Condition	Primary Target Marma Points	Structural Substrate (*Rachana*)	Proposed Therapeutic Reflex
Cervical Spondylosis & Neck Rigidity	*Kshipra, Kurpara, Kricchatika*	*Snayu / Sandhi*	Relieves compression of the cervical plexus; reduces hypertonicity in the trapezius and levator scapulae muscles.[35-36]
Lumbar Herniation & Sciatica (*Gridhrasi*)	*Katiktaruna, Kukundara, Nitamba*	*Asthi / Snayu*	Down-regulates sciatic radiculopathy; decompresses lumbar nerve pathways and balances deep pelvic *Apana Vayu*.[37-38]
Knee Osteoarthritis (*Sandhigata Vata*)	*Janu, Gulpha, Kshipra*	*Sandhi / Snayu*	Promotes micro-vascular circulation within the joint capsule; increases the clearance of ischemic metabolic debris[39-40].
Migraines & Tension Headaches	*Sthapani, Shankha, Adhipati*	*Sira / Sandhi*	Modulates cranial blood flow velocity; down-regulates central sympathetic overactivity and reduces emotional stress.[41-42]

10. Clinical Protocols

Marma Chikitsa requires highly precise clinical application rules to safeguard the patient while maximizing therapeutic outcomes.

Anguli Pramana[43] **(Individual Measurement):** The boundary of each *Marma* point is measured dynamically using the patient's own *Anguli* (finger-breadth) units. Points range in size from 0.5 *Anguli* (e.g., *Kshipra*) up to 4 *Anguli* (e.g., *Urvi*, *Janu*).

Digital Manipulation (*Marma Taadana*)[44]**:** Controlled digital pressure is applied using the thumb or index finger. The pressure must be rhythmic, matching the natural respiration cycle of the patient. The intensity is scaled systematically based on the patient's *Rogi Bala* (physical strength) and *Vaya* (age).

***MARMA* APPLICATION CRITERIA**

Anguli Pramana	Marma Taadana
0.5 *Anguli* (e.g., *Kshipra*)	Thumb/Index Vector
1.0 *Anguli* (e.g., *Urvi*)	Respiratory Sync
2.0 *Anguli* (e.g., *Janu/Gulpha*)	*Rogi Bala* Scaling (Age & Strength)
4.0 *Anguli* (e.g., *Hridaya/Basti*)	

11)Therapeutic Adjuncts:[45-47]

Snehana (Oleation): Application of medicated oils (*Mahanarayana Taila*, *Ksheerabala Taila*) to lubricate the structural tissues overlaying the node.

***Swedana* (Sudation):** Localized herbal steam or poultice application to expand the *Srotas* and accelerate the absorption of therapeutic principles.

12)Therapeutic Indications and Clinical Specializations

Clinical application of *Marma Chikitsa* spans multiple medical sectors, acting as a highly effective, non-pharmacological methodology for functional restoration and autonomic stabilization.

1)Musculoskeletal Pathologies: Precise digital manipulation down-regulates localized nociceptive signaling, increases articular range of motion, resolves muscular hypertonicity, and accelerates functional recovery timelines.

***Kati Shoola & Gridhrasi*:** Chronic lumbar spondylosis and sciatica radiculopathy.

***Sandhigata Vata*[48]:** Degenerative osteoarthritis of the knee and major joints.

***Griva Stambha*[49]:** Cervical spondylosis, neck rigidity, and tension headaches.

2) Neurological Conditions[50-51]: Clinicians deploy this therapy to manage peripheral facial palsy, hemiplegia, peripheral neuropathies, sciatic radiculopathy, migraines, tension-type headaches, and post-stroke neurological deficits. Therapeutic benefits are driven by the enhancement of neuromuscular transmission, optimization of peripheral nerve conduction, and activation of neuroplastic pathways.

3)Psychosomatic[52] and Neuroendocrine Disorders[53]: Targeted stimulation of specialized vital nodes is frequently utilized to mitigate generalized anxiety, chronic insomnia, depressive states, emotional trauma, and cognitive exhaustion. These positive outcomes are achieved by modulating autonomic nervous system equilibrium and stabilizing neuroendocrine axes.

4)Sports Medicine and Functional Rehabilitation[54]: Elite athletes increasingly incorporate this therapy into conditioning regimens for proactive injury prevention, accelerated connective tissue repair, reduction of metabolic muscle fatigue, and optimization of physical performance metrics. The concurrent restoration of myofascial flexibility and micro-vascular circulation drastically improves functional rehabilitation following structural injuries.

13)Mandatory Safeguards and Contraindications

Given the intense concentration of vital humors, clinicians must avoid therapy under the following conditions:

- **Active Septic Inflammation:** Absolute contraindication at any local site presenting with *Paka* (suppuration), acute erythema, or localized infection.
- **Malignancies and Direct Trauma:** Open fractures, severe hematomas, or suspected neoplastic growths directly over the Marma coordinate.
- **Gestational Limitations:** Direct abdominal and pelvic Marmas (such as *Basti* or *Nabhi*) must never be subjected to deep pressure during pregnancy.

Discussion

Classical Ayurvedic texts consistently define Marma points as vital anatomical zones where five distinct tissue structures—Mamsa (muscle), Sira (vessels), Snayu (ligaments/tendons), Asthi (bone), and Sandhi (joints)—coalesce. When evaluated through a contemporary medical lens, these regions map precisely onto dense neurovascular bundles, baroreceptor zones, superficial nerve branching sites, and major myofascial intersections

The findings of this review demonstrate a profound structural and functional convergence between the ancient Ayurvedic science of Marma Vijnana and modern neuroanatomy. Modern morphological assessments demonstrate that traditional *Marma* sites share a close spatial correlation with highly vulnerable zones in the human body, exhibiting an exact structural overlap with major peripheral nerve branches, vascular plexuses, tendinous attachments, muscular junctions, and complex fascial intersections. These structural alignments provide a clear, empirical foundation for the physiological reactions triggered by mechanical stimulation. Furthermore, contemporary neurophysiology suggests that precise manual pressure on these vital points stimulates superficial sensory mechanoreceptors,

which can actively modulate nociceptive signaling pathways at both the spinal cord and higher cortical levels.

The therapeutic outcomes observed during clinical *Marma* interventions likely stem from a combination of overlapping physiological pathways, including microcirculatory enhancement, neuromuscular decompression, autonomic calibration, neurochemical cascades, and accelerated tissue recovery. From a systems biology perspective, the traditional concept of ***Prana*** (vital life force) can be interpreted as the functional intersection of four major homeostatic processes: neural signaling networks, microvascular perfusion, cellular metabolic pathways, and bioenergetic electrical gradients.

Tantra Yukti[55]: **Decoding the Text, Verifying the Tissue**

Understanding *Marma Shareera* requires applying *Tantra Yukti* to connect traditional concepts with modern science. Conversely, Ayurveda uses a functional, bio-dynamic framework where *Marma* sites are treated as vital epicenters of *Prana*.

The assertion by Acharya Sushruta that *Sadyo Pranahara Marmas* cause death within seven days when injured highlights their high neurovascular density. For example, trauma to the *Shankha Marma* directly correlates to a rupture of the middle meningeal artery, leading to a fatal epidural hematoma. Similarly, injury to the *Hridaya Marma* corresponds to acute cardiac tamponade or structural failure of the coronary arches.

Table 4: Tantra Yukti Matrix for Marmas[56-57-58]

Marma	***Adhikarana* (Context)**	***Pratidjana* (Proposition)**	***Udaharan* (Example)**	***Hetu* (Modern Pathology & Causation)**
Shankha	Cranial vault pressure	Lateral skull impacts require immediate neurological evaluation	Traumatic blow to temples resulting in altered consciousness	**Pterion region trauma** associated with intracranial hemorrhage or epidural hematoma formation.
Hridaya	Central thoracic volume	Anterior chest trauma impacts systemic perfusion	Penetrating or blunt thoracic trauma affecting cardiovascular function	**Pericardial effusion or cardiac injury** leading to impaired mechanical function of the heart chambers.
Nabhi	Abdominal core vessels	Umbilical region trauma involves major vascular structures	Blunt force abdominal impact presenting with internal swelling	**Vascular disruption within the abdominal cavity**, involving major mesenteric or axial vessels.
Basti	Pelvic urological integrity	Pelvic ring disruption frequently compromises urinary structures	Lower abdominal crush injury presenting with hematuria	**Urinary bladder disruption or rupture**, potentially leading to uro-peritoneum and secondary systemic complications.
Kshipra	Distal neuro-reflex grids	Web-space pressure relates to peripheral nerve pathways	Digital compression utilized in traditional neuro-reflex stimulation	**Stimulation of peripheral nerve bifurcations** (such as the deep peroneal or radial nerves) affecting localized neuromuscular tone.

However, interpreting *Vishalyaghna Marmas* (such as *Sthapani*) remains a subject of rich scholarly debate (*Sambhasha*). The classical observation that a patient survives while a foreign body remains embedded, but succumbs immediately upon its removal (*Shalya-uddharana*), cannot be explained by simple vascular occlusion alone. Instead, it suggests a complex pathophysiological response involving acute changes in intracranial pressure, sudden shifts in autonomic vascular tone, or air embolisms introduced into the cranial venous sinuses.

B. Clinical Safety Boundaries for the Young Physician[59-60]

Transforming *Marma* points from surgical danger zones (*Varjya Sthana*) into safe therapeutic access nodes requires strict clinical protocols. Practitioners must carefully adjust the force applied during stimulation based on the underlying anatomy (*Rachana*) of each point:

- **Vascular (*Sira*) Nodes:** Points like *Nila* and *Manya* sit directly over major vessels like the carotid bifurcation. Heavy or prolonged pressure here risks causing vagal syncope or dislodging atherosclerotic plaques, meaning they require gentle, superficial touch.
- **Ligamentous (*Snayu*) Nodes:** Points such as *Kshipra* can withstand firmer, deeper pressure to relieve deep structural tension and trigger points, but must be avoided in cases of acute ligamentous tears or localized tissue infections.
- **Visceral (*Kostha*) Nodes:** Deep manual manipulation is strictly contraindicated over vulnerable areas like the *Basti* (bladder region) or *Nabhi* (umbilical plexus) during acute inflammation, pregnancy, or suspected internal bleeding.

Conclusion and Future Perspectives

Marma science represents an advanced structural and functional synthesis within classical *Ayurvedic* medicine, organizing the body's vital vulnerabilities and healing pathways into a logical anatomical framework. For the contemporary student of *Ayurveda*, cross-referencing these ancient principles with modern neuroanatomy reveals a shared biological map where *Marma* points align closely with neurovascular bundles, fascial intersections, and autonomic control centers.

Using manual therapy (*Marma Chikitsa*) to treat pain conditions provides a safe, drug-free alternative for pain relief (*Shoola Prashamana*) and neuromuscular rehabilitation.

References

1. Sharma PV, editor. *Sushruta Samhita of Maharshi Sushruta: Vol. 1. Sutrasthana and Sharirasthana*. Varanasi: Chaukhambha Visvabharti; 2018.
2. Murthy KRS, translator. *Vagbhata's Ashtanga Hridayam: Vol. 1. Sutrasthana and Sharirasthana*. Varanasi: Chowkhamba Krishnadas Academy; 2019.
3. Sharma PV, editor. *Charaka Samhita of Agnivesha: Vol. 4. Chikitsasthana, Kalpasthana, and Siddhisthana*. Varanasi: Chaukhambha Orientalia; 2014.
4. Sharma PV, editor. *Sushruta Samhita of Maharshi Sushruta: Vol. 1. Sutrasthana and Sharirasthana chapter 6 verses 22*. Varanasi: Chaukhambha Visvabharti; 2018.
5. Murthy KRS, translator. *Vagbhata's Ashtanga Hridayam: Vol. 1. Sutrasthana and Sharirasthana*. Varanasi: Chowkhamba Krishnadas Academy; 2019.
6. Sharma PV, editor. *Charaka Samhita of Agnivesha: Vol. 4. Chikitsasthana, Kalpasthana, and Siddhisthana*. Varanasi: Chaukhambha Orientalia; 2014.
7. Griffith RT, translator. *The Hymns of the Rigveda*. Varanasi: Chowkhamba Sanskrit Series Office; 2009[*Rigveda 6.75.15]*
8. Sharma PV, editor. Sushruta Samhita of Maharshi Sushruta: Vol. 1. Sharirasthana chapter 6 verses 3 and 35. Varanasi: Chaukhambha Visvabharti; 2018.
9. Cho ZH, Hwang SC, editors. Neuro-Anatomical Basis of Clinical Acupressure and Reflex Therapies. New York: Biomedical Science Publishers; 2021.
10. Singhal GD, Singh LM, editors. *Anatomical & Obstetrical Considerations in Ancient Indian Surgery* (Based on Sharira Sthana of Sushruta Samhita). Varanasi: Banaras Hindu University Press; 2007.
11. *Sushruta.* (2005). An English translation of the Sushruta Samhita: Based on original Sanskrit text (K. K. *Bhishagratna*, Ed. & Trans.; Vol. 2, *Sharira Sthana, Chapter 6, Verse 26*). *Chowkhamba Sanskrit* Series Office. (Original work published c. 600 BCE)

12. Murthy KRS, translator. *Vagbhata's Ashtanga Hridayam: Vol. 1. Sutrasthana and Sharirasthana*. Varanasi: Chowkhamba Krishnadas Academy; 2019.

13. Sharma PV, editor. Charaka Samhita of Agnivesha: Vol. 4. Siddhi Sthana (Chapter 9, Trimarmisiddhi). Varanasi: Chaukhambha Orientalia; 2014.

14. Sharma PV, editor. Sushruta Samhita of Maharshi Sushruta: Vol. 1. Sharirasthana. Reprint ed. Varanasi: Chaukhambha Visvabharti; 2018. [Sharira Sthana, Chapter 6, Verse 25].

15. Muraleedhar B, Kanthi GM. Anatomical consideration of Hrudaya Marma – A Review. J Ayurveda Integr Med Sci. 2017;2(3):198-203

16. Sharma PV, editor. Sushruta Samhita of Maharshi Sushruta: Vol. 1. Sidhisthana. Reprint ed. Varanasi: Chaukhambha Visvabharti; 2018. [Sidhi Sthana, Chapter 9, Verse 4].

17. Sharma PV, editor. Sushruta Samhita of Maharshi Sushruta: Vol. 1. Sutrasthana and Sharirasthana. Varanasi: Chaukhambha Visvabharti; 2018. [Sharira Sthana, Chapter 6, Verse 25].

18. Sidar RS, Kumar K, Tiwari N. Anatomical perspective of Basti Marma and its clinical significance. World J Pharm Res. 2026;15(16):572-581.

19. Rathore S, Tomar S. Surgico-anatomical importance of Basti Marma and its Sadhya Pranaharatva with special reference to urinary bladder injuries along with urinary peritonitis. Paripex Ind J Res. 2025;14(7):42-45.

20. Sharma PV, editor. Sushruta Samhita of Maharshi Sushruta: Vol. 1. Sutrasthana and Sharirasthana. Varanasi: Chaukhambha Visvabharti; 2018. [Sharira Sthana, Chapter 6, Verse 28].

21. Sharma PV, editor. Sushruta Samhita of Maharshi Sushruta: Vol. 1. Sutrasthana and Sharirasthana. Reprint ed. Varanasi: Chaukhambha Visvabharti; 2018. [Sharira Sthana, Chapter 6, Verse 25].

22. Sharma PV, editor. *Sushruta Samhita of Maharshi Sushruta: Vol. 1. Sutrasthana and Sharirasthana*. Reprint ed. Varanasi: Chaukhambha Visvabharti; 2018. [*Sharira Sthana*, Chapter 6, Verse 9].

23. Sharma PV, editor. Sushruta Samhita of Maharshi Sushruta: Vol. 1. Sutrasthana and Sharirasthana. Reprint ed. Varanasi: Chaukhambha Visvabharti; 2018. [Sharira Sthana, Chapter 6, Verse 36].

24. Murthy KRS, translator. Vagbhata's Ashtanga Hridayam: Vol. 1. Sutrasthana and Sharirasthana. Varanasi: Chowkhamba Krishnadas Academy; 2019. [Sutrasthana, Chapter 12, Verses 6-7]

25. Charaka. (2003). Charaka Samhita of Agnivesha (R. K. Sharma & B. Dash, Eds. & Trans.; Vol. 2, *Vimana Sthana, Chapter 5, Verse* 9). Chowkhamba Sanskrit Series Office. (Original work published c. 300–200 BCE)

26. Agrawal R, Mishra P. Critical analysis of Sroto-Avorodha and its clinical resolution through peripheral Marma Taadana. *Ayurpharm Int J Ayur Allied Sci*. 2025;14(2):88-94.

27. Cho ZH, Hwang SC, editors. *Neuro-Anatomical Basis of Clinical Acupressure and Reflex Therapies*. New York: Biomedical Science Publishers; 2021.

28. Tripathi A, Sharma S. Tracing neuro-cardiac axis: Somatovisceral mechanisms behind Hridaya Marma Chikitsa. *Integr Med Res Ayurveda*. 2026;5(1):24-31.

29. Ignarro LJ. Nitric oxide as a unique signaling molecule in vascular biology: Endothelial release mechanisms. *Biosci Rep*. 2023;43(2): BSR20221980.

30. Langevin HM. Feel the pull: Myofascial integration and its therapeutic implications for manual medicine. *J Altern Complement Med*. 2021;27(4):301-306.

31. Ylikoski, J., Lehtimäki, J., Pirvola, U., Mäkitie, A., & Aarnisalo, A. (2023). Exploratory Investigation of the Effects of Tactile Stimulation Using Air Pressure at the Auricular Vagus Nerve on Heart Rate Variability. Journal of Personalized Medicine, 13(3), 441

32. Stecco C, Macchi V, Porzionato A, De Caro R. The fascia: The forgotten structure. Ital J Anat Embryol. 2011;116(3):127-138

33. D'Souza RS, Gurpreet S. Gate Control Theory of Pain. Treasure Island (FL): StatPearls Publishing; 2024. ncbi.nlm.nih.gov/books/NBK559223.

34. Han JS. Acupuncture and endorphins. *Neurosci Lett*. 2004;361(1-3):258-261.

35. Napadow V, Dhond R, Purdon P, Kettner N. The influence of somatosensory stimulation on autonomic cardiovascular regulation. *Biofeedback*. 2008;36(3):102-107.

36. Ayurvedic Canon: Sharma PV, editor. Sushruta Samhita of Maharshi Sushruta: Vol. 1. Sharira Sthana (Chapter 6, Verse 28 - Kricchatika mapping). Varanasi: Chaukhambha Visvabharti; 2018.

37. Sharma R, Kumar N. Clinical evaluation of Marma Chikitsa in the management of cervical spondylosis. *J Ayurveda Integr Med Sci*. 2024;9(2):65-72

38. Ayurvedic Canon: Sharma PV, editor. Charaka Samhita of Agnivesha: Vol. 3. Chikitsasthana (Chapter 28, Verses 56-57 - Gridhrasi clinical semiology). Varanasi: Chaukhambha Orientalia; 2014.

39. Yadav K, Mishra S. Management of Gridhrasi (Sciatica) through Marma Therapy: A randomized controlled trial. *Int J Res Ayur Pharm*. 2025;16(1):42-49.

40. Ayurvedic Canon: Sharma PV, editor. Sushruta Samhita of Maharshi Sushruta: Vol. 1. Sharira Sthana (Chapter 6, Verse 30 - Janu Marma mechanics). Varanasi: Chaukhambha Visvabharti; 2018.

41. Patel M, Shah A. Applied anatomy of Janu Marma and its therapeutic utility in Sandhigata Vata (Knee Osteoarthritis). *Ayurline Int J Res Ind Med*. 2025;9(4):112-118.

42. Ayurvedic Canon: Sharma PV, editor. Sushruta Samhita of Maharshi Sushruta: Vol. 1. Sharira Sthana (Chapter 6, Verse 25 & 28 - Shiro-Marmas). Varanasi: Chaukhambha Visvabharti; 2018.

43. Singh S, Tiwari P. Efficacy of Sthapani and Shankha Marma stimulation in neurovascular tension headaches. *World J Pharm Res*. 2026;15(3):804-812.

44. Sharma PV, editor. Sushruta Samhita of Maharshi Sushruta: Vol. 1. Sutrasthana and Sharirasthana. Reprint ed. Varanasi: Chaukhambha Visvabharti; 2018. [Sharira Sthana, Chapter 6, Verses 25–31].

45. Kumar A, Sharma S. Biomechanics of Marma Taadana: Evaluating force distribution and respiratory sync in manual reflex therapies. Int J Res Ayur Pharm. 2026;17(1):112-119.

46. Sharma PV, editor. Charaka Samhita of Agnivesha: Vol. 1. Sutrasthana. Reprint ed. Varanasi: Chaukhambha Orientalia; 2014. [Sutra Sthana, Chapter 14, Verse 5].

47. Sharma PV, editor. Charaka Samhita of Agnivesha: Vol. 1. Sutrasthana. Reprint ed. Varanasi: Chaukhambha Orientalia; 2014. [Sutra Sthana, Chapter 22, Verse 16].

48. Tripathy S, Namjoshi E. *The Scientific Basis of Sthanika Purvakarma: Mode of Action of Localized Oleation and Sudation in Manual Therapies*. Jamnagar: Gujarat Ayurved University Press; 2024.

49. Rani L, Kp A, Chanana A, Varsakiya J, Menka. A review of marma manipulation as a therapeutic modality in janu sandhigata vata (knee osteoarthritis). Genetics and Molecular Research. 2026;25(16s):1-12

50. Shinde P, Kp A, Chanana A, Varsakiya J. Efficacy of marma chikitsa and TENS in cervical spondylosis. International Journal of Ayurveda and Pharma Research. 2026;14(6):15-23

51. Fox M, Dickens N. Marma therapy for stroke rehabilitation -- a pilot study. Complementary Therapies in Clinical Practice. 2006;12(3):206-212

52. Sharma A, Joshi S, Dwivedi R. Ayurveda for neurological disorders: A narrative review of evidence-based integrations. ResearchGate / Journal of Neuro-Rehabilitation. 2025;19(4):72-81.

53. Shailaja BM, Kp A, Chanana A. Case report of marma chikitsa for anxiety neurosis. World Journal of Pharmaceutical and Medical Research. 2026;12(4):215-221.

54. Mishra K, Dwivedi R, Sharma S. Effects of Nabhi therapy on sleep and stress hormones: A scientific review of neuroendocrine regulation. International Journal of Ayurveda and Medicine. 2026;17(3):88-94

55. Purushothaman MP. Marma points as neuro-myofascial control centers and their role in sports medicine. International Journal of Novel Research and Development (IJNRD). 2025;10(12):b164-b167

56. Sushruta. (2018). Sushruta Samhita: Text with English translation and Dalhana's commentary (P. V. Sharma, Trans.; Vol. 3, Uttaratantra Chapter 65, Tantra-Yukti-Nama-Adhyaya). Chaukhambha Visvabharti. (Original work compiled c. 600 BCE)

57. Bharti, R., & Mishra, S. (2025). Surgico-anatomical importance of Basti marma and its sadhya pranaharatva w.s.r. to urinary bladder injuries along with urinary peritonitis. *Paripex - Indian Journal of Research*, *14*(7), 55-61. doi.org

58. Dwivedi, R., & Sharma, S. (2021). Insight on the Nabhi marma from anatomical aspect: A systemic review. *International Research Journal of Ayurveda & Yoga*, *4*(5), 122-128. doi.org

59. Lokhande, M. D., Yadav, D., & Daf, S. P. (2026). An analytical review of Sadya Pranahara Marma with special reference to human anatomy and clinical significance. *International Journal of Innovative Research in Technology*, *13*(1), 4268-4272.

60. Lokhande, M. D., Yadav, D., & Daf, S. P. (2026). An analytical review of Sadya Pranahara Marma with special reference to human anatomy and clinical significance. *International Journal of Innovative Research in Technology*, *13*(1), 4268–4272. ijirt.org

61. Mahajan, A. P., & Pawar, S. R. (2026). Rujakara Marma: A comprehensive review of its anatomical correlates and clinical significance in Ayurvedic Marma science. *International Journal of Innovative Research in Technology*, *13*(1), 2871–2876. ijirt.org