

IJAYUSH

International Journal of AYUSH
AYURVEDA, YOGA, UNANI, SIDDHA AND HOMEOPATHY
http://internationaljournal.org.in/journal/index.php/ijayush/

International Journal Panacea Research library ISSN: 2349 7025

Review Article

Volume 13 Issue 6

June 2024

A CRITICAL INTERPRETATION OF *JALAUKAVACHARANA* IN THE MANAGEMENT OF *SIRAGRANTHI*: A BRIEF REVIEW

*Dr. Ajay¹, Dr. Manoj Kumar Chaturvedi², Dr. Sunita Singh ³

¹Final Year PG Scholar, Department of Shalya Tantra, Major S.D. Singh P.G. Ayurvedic Medical College & Hospital, Bewar Road, Farrukhabad, Uttar Pradesh.

²Guide, Department of Shalya Tantra, Major S.D. Singh P.G. Ayurvedic Medical College & Hospital, Bewar Road, Farrukhabad, Uttar Pradesh.

³Co - Guide, Department of Shalya Tantra, Major S.D. Singh P.G. Ayurvedic Medical College & Hospital, Bewar Road, Farrukhabad, Uttar Pradesh.

*Corresponding Author's Email ID: - Dr. Ajay, Final Year PG Scholar, Department of Shalya Tantra, Major S.D. Singh P.G. Ayurvedic Medical College & Hospital, Bewar Road, Farrukhabad, Uttar Pradesh.

ABSTRACT

Raktamokshana is a karma requiring the elimination and renovation of Dushta Rakta. Non-poisonous Jalauka is used to treat arthritis, artery and venous disorders, cardiac and lung issues with varicose vein ulcers, skin conditions such as psoriasis, eczema, and hypopigmentation spots. Shira Sankocha, Shira Vakrata, Shira utsedha and Vishoshana are the clinical characteristics of Siragranthi. Features are beneficial in associated Siragranthi with varicose veins. Raktamokshana consists of two words: Rakta and Mokshana, so that Raktamokshana ensures that blood is released. Treatment of medicinal leeches for conditions of sickness is termed Hirudo-therapy. Not only does Jalaukavacharana drain blood from the body, but it also injects biologically active compounds that help treat multiple diseases. Jalauka is likely to purify the body by eliminating deeply-seated toxins and pacifying the vitiated Dosha.

KEYWORDS: Varicose veins, Jalaukavacharana, Raktamokshana.

INTRODUCTION

The affected vein is called the "Siragranthi" because the vein is dilated, elongated and

tortuous due to a retrograde blood flow. The typical location for varicose veins is the

superficial venous system of the lower limbs, which affects either long saphenous veins or

short saphenous veins, or both. Varicose veins of the lower limbs are a punishment for a

man's long standing stance. Sira Sankocha, Sira Vakrata, Sira utsedha, Visoshana are the

clinical features of Siragranthi in Ayurvedic literature. Ayurveda's literature refers to this

state as "Siragranthi."

It is estimated that the varicose veins affect both men and women. Incompetent valves are

the most likely cause, but elevated age, weight, pregnancy and posture are risk factors².

Application of *Jalaukava* for kings, rich individuals, infants, the elderly, women and disabled

people is the most sensitive blood-letting form recommended^{3, 4}. The first recorded evidence

of leeches can be found in Sushruta Samhita.

In the early 1880s, Hay craft first noticed the antithrombotic effects of leech saliva, and in

1904 Jacoby found an anticoagulant element called Hirudin⁵ Jalaukavacharana is known as

Leech therapy. Acharya Sushruta identified Agni, Kshara and Raktamokshana as Upayantra

and Anushastra⁶ Jalaukavacharana is a form of Raktamokshana considered to be one of the

most successful methods of removing vitiated *Dosha* from the body without any *Shastra*.

Aims and Objectives

• To evaluate the role of *Jalaukavacharana* in *Siragranthi* of lower extremities.

Materials and Methods

Materials related to Siragranthi and Jalaukavacharana have been obtained from various

journals, Ayurvedic and Contemporary Text Books, Authoritative Websites Reputed

Newspapers, Authoritative Literatures, Manuscripts, Sanskrit Dictionary, etc.

SIRAGRANTHI

Varicose veins of spider veins can surround. Spider veins are thinner lines of red or purple

that occur on the surface of the skin. While they can be unwise and painful, for most people

varicose veins don't pose a threat. Many varicose vein signs may be alleviated at home or you should handle them with injections, laser treatment and surgery through the health care provider⁷.

JALAUKAVACHARANA

Due to the vitiation of *Vata* and *Pitta Dosha, Rakta Dhatu. Dushita Rakta dhatu do Sthansamshraya in Raktavaha Srotas,* resulting in the signs and symptoms of *Siragranthi. Acharya Sushruta* described that vitiated vata dosha assimilated either in one part or in one *Dhatu* by making symptoms such as *Shotha, Shoola,* etc. Primary varicose veins occur mostly due to defect in the valves-the defect in the Sapheno-femoral valve leads to varicose vein Long Saphenous vein, the defect in the Sapheno-popliteal valve leads to varicose vein shortness of the saphenous vein and the defect in the perforator valves leads to varicose vein long or short-

- 1. Primary varicose veins arise due to venous obstruction Mechanical causes such as, vaginal tumors and deep vein thrombosis.
- 2. Congenital varicose vein is caused by either a congenital arteriovenous fistula or a cavernous hemangioma.

Pathogenesis of Siragranthi Ayurvedic view-

Vata vitiates Rakta dhatu due to prolonged walking, etc. and *Shira* undergoes *Sankochana*, *Sampidana and Vishoshana* triggering *Siragranthi*. The difference of form and scale causes the veins to become *Sankuchit* i.e. the tortuousness of the veins. Even due to *Ruksha Guna* the veins turn rough and stiff, eventually the veins appear like a swelling that is painless and non-pulsatile.⁸

Modern view-

During long standing blood column along with gravity strain on the weakened valves of the veins. Forced contraction of the calf muscles can push blood through the perforating veins in the opposite direction. This will enable the destruction of the perforating vein valves and lead to variouse veins.

Jalaukavacharana -

The entire process is performed in three steps.

Poorva Karma

1. Preparation of Jalauka

Collection of Leeches-

• Leech should be extracted from ponds and lakes with the aid of a piece of wet leather. 9 as

defined in *Charak samhita, Sharad Ritu* is better suited for leech collection.

Selection of leeches-

Leeches that are Maha sharira, Balavatya, Mahashana, swift blood suckers Shughrapavinyo

that travel rapidly live in fresh water¹⁰

Storage of leeches-

Leeches should be placed in a fresh huge pot containing clean water and mud from tanks or

ponds. Powder of moss, dried meat and marine tubers can be used for feeding. After 3 days,

the water can be adjusted weekly¹¹. Now, for a few days, the leeches are stored in glass

bottles or jars with a lid that stops leeches from falling out. Tiny holes should be made in the

lid to allow for fresh air. It's harmless to fill the container with water from their natural

environments. The water in the bottle can be changed once a week.

Purification of leech-

Fresh leeches should be separated from the pitcher/tank and a combination of mustard and

turmeric paste should be added to them in water. You will observe the passive leeches

become extremely active and race around the tray directly after the use of mustard and

turmeric paste. 12.

2. Preparation of Patient

Investigation-

CBC [Complete blood Count]

BT [Bleeding time]

CT [Clotting time]

PT [Prothrombin time]

Part preparation-

The site should be washed with fresh liquid or Haldi water.

Pradhana Karma

The patient should be able to sit or lie down, and water should be used to disinfect the appropriate spot. Retain the leeches from the neck and connect to the damaged section directly. It raises its jaw as the leech starts drinking the blood, assuming the appearance of a horse shoe. They should be covered with a wet gauze as the leeches start eating the blood,

and cold water should be poured over them from time to time, to calm the leeches when sucking. A small prick can be made at the infected location in the event that they fail to adhere

to the target spot if they do not even stick, there should be another one to pursue. The Jaluka

sucks just vitiated blood out of a mixture of vitiated and non-vitiated blood for the first time.

It should be inferred that the leech is still sucking pure blood if scraping or itching pain

occurs at the site of application. When sucking pure leech blood, it should be removed. If it is

not removed, the sucking part of the leech should be sprayed with a limited quantity of

turmeric powder or typical salt powder¹³.

Paschata Karma

The site should be washed with regular saline and the bandaging should be performed after the turmeric powder has been added to the bleeding site. Upon slipping off, the leeches should be made to vomit. This is achieved by adding the turmeric powder to their faces. When the blood comes from the anterior sucker, for proper emesis, gentle squeezing from

the caudal to the front end is necessary. If the leech is alive as it is inserted in water, it means

that the vomiting is right 14 . The leeches used are stored in different jars/pots labelled with

patient information. Leech should be used once a week and one leech should be reserved for

a single patient to discourage cross-infection.

Sign and Symptoms of Jalaukavacharana

- Vedana Shanti
- Laghuta
- Vyadhirvega prasamana
- Mana Prasadana¹⁵

DISCUSSION

Shushruta and Acharya Vagbhata had assigned considerable significance to Jalaukavacharana, given the separate chapters of "Jalaukaavcharniya¹⁶ and "Jalauakavidhi¹⁷. Jalaukavacharan removes blood from the circulation, but also injects biologically active drugs that help to treat various diseases. When leech sucks peripheral blood, it induces negative pressure in the vein present locally and promotes drainage. ¹⁸

Mode of action of Jalauka

The mode of action of *Jalauka* is purification of the body by eliminating deeply-seated toxins and pacifying the vitiated *dosha*. Varicose veins occur due to vitiation of *Vata* and *Pitta dosha*, which results in vitiation of *Rakta dhatu* and *Sthansamshraya* in *Raktavaha Srotas*, which triggers signs and symptoms of *Siragranthi*.¹⁹. The secretion of salivary glands of medicinal leech includes more than one hundred bioactive substances which are responsible for performing the desired medical effect. Essential constituents found in leech saliva are Hirudin, Hyaluronidase, Destabilase, Eglins, Calin, Triptase inhibitor, Hirustatin. Leech saliva contains compounds that anesthetize the wound area, make the leech bite painless to the host and dilate the blood vessels to increase the blood supply to the bite site. Hirudin is a potent anticoagulant that prevents blood coagulation by blocking the conversion of fibrinogen to fibrin.

Hirudotherapy

The emission of the therapeutic leech salivary gland contains more than one hundred bioactive materials which are responsible for performing the desired medical effect. Leech saliva contains substances that anesthetize the wound area, making the leech bite painless to the host and dilate

the blood vessels to increase the flow of blood to the bite site.¹⁹ Salivary gland secretions also

include anti-inflammatory, bacteriostatic and analgesic effects.²⁰

CONCLUSION

Jalaukavacharana therapy is an inexpensive and simple form of bloodletting. It is a

convenient Panchakarma technique that can be used in a variety of cases. A deeper

interpretation of the mode of action of Jaluka has become possible with new forensic

methods. Leeches saliva contains numerous active ingredients which help to purify Rakta

dosha. There are no side effects of the use of traditional drugs. One of the major therapeutic

methods mentioned in Ayurveda for the cure of various diseases is leech therapy. It is the

chief cure, Because of its therapeutic efficacy and leaches, leach treatment has attracted

greater popularity internationally for many diseases. They can also be handled and used very

effectively. It may also be inferred that Hirudotherapy is used for the care of patients from

ancient times and is still alive today.

Source of Support: Nil.

Conflict of Interest: Nil

REFERENCES

1. Manipal manual of surgery 3rd edition by K.Rajgopal Shenoy and Anitha Nileshwar. CBS

Publisher and Distribution.

2. Sushruta Samhita Nidana Sthana 11/8-9, hindi commentary ayurveda Tattva sandipika

written by Kaviraj Ambikadatta Shastri by Chaukhambha Orientelia, Varanasi-221005.

3. Sushruta Samhita Sutra Sthana 13/3, hindi commentary ayurveda Tattva sandipika

written by Kaviraj Ambikadatta Shastri by Chaukhambha Orientelia, Varanasi-221005.

4. Fields WS. The history of leeching and hirudin, Haemostasis 1991, 21; 3-10.

5. Sushruta Samhita Sutra Sthana 13/9, hindi commentary ayurveda Tattva sandipika

written by Kaviraj Ambikadatta Shastri by Chaukhambha Orientelia, Varanasi-221005.

6. Sushruta Samhita Sutra Sthana 7/16, hindi commentary ayurveda Tattva sandipika

written by Kaviraj Ambikadatta Shastri by Chaukhambha Orientelia, Varanasi-221005.

- 7. https://my.clevelandclinic.org/health/diseases/4722-varicose-veins
- 8. Charak samhita, vidyotini hindi vyakha, written by shastri Pt Kashinath, published by Chaukhambha sanskrita sansthan Varanasi Ch. Su. 12/4.
- 9. Sushruta Samhita Sutra Sthana 13/17, hindi commentary ayurveda Tattva sandipika written by Kaviraj Ambikadatta Shastri by Chaukhambha Orientelia, Varanasi-221005.
- 10. Sushruta Samhita Sutra Sthana 13/17, hindi commentary ayurveda Tattva sandipika written by Kaviraj Ambikadatta Shastri by Chaukhambha Orientelia, Varanasi-221005
- 11. Sushruta Samhita Sutra Sthana 13/14, hindi commentary ayurveda Tattva sandipika written by Kaviraj Ambikadatta Shastri by Chaukhambha Orientelia, Varanasi-221005
- 12. Sushruta Samhita Sutra Sthana 13/19, hindi commentary ayurveda Tattva sandipika written by Kaviraj Ambikadatta Shastri by Chaukhambha Orientelia, Varanasi-221005.
- 13. Sushruta Samhita Sutra Sthana 13/19-21, hindi commentary ayurveda Tattva sandipika written by Kaviraj Ambikadatta Shastri by Chaukhambha Orientelia, Varanasi-221005.
- 14. Sushruta Samhita Sutra Sthana 13/22, hindi commentary ayurveda Tattva sandipika written by Kaviraj Ambikadatta Shastri by Chaukhambha Orientelia, Varanasi-221005.
- 15. Sushruta samhita, ayurved tatwa dipika hindi commentary, written by shastri ambika dutt kaviraj vol 1, published by Chaukhambha Sanskrita sansthan, Varanasi, Su.SU. 8/15.
- 16. Sushruta Samhita Sutra Sthana 13, hindi commentary ayurveda Tattva sandipika written by Kaviraj Ambikadatta Shastri by Chaukhambha Orientelia, Varanasi-221005 Vagbhatta.
- 17. Vagbhatta Ashtanga Samgraha, Chapter 35, Vol-1, By Kaviraj Atrideva Gupta.
- 18. Review on leech application on ayurveda and shrilankan traditional medicine, by E.R.H.S.S Ediriveera, article published in JAHM, volume 2, issue 1.
- 19. Andreas Michalsen, Manfred roth, gustav dobos, medicinal leech therapy, new York 2007, 132-138.
- 20. Dr. Mandeep Singh, European Journal of Biomedical AND Pharmaceutical Sciences, Management of varicose veins (Shiragranthi) of lower limb by alauakavacharana A conceptual study. jbps, 2020, Volume 7, Issue 5, 177-180.