



Review Article

Volume 15 Issue 03

March 2026

EMBRYOLOGICAL DEVELOPMENT: *GARBHA SHARIR VS TIBETAN EMBRYOLOGY*

Dr. Bhumi¹, Dr. Shridev Phondani²

¹Ph.D. Scholar, Rachana Sharir, Desh Bhagat University, Gobindgarh, Punjab

²Principal/ Professor, Dept of Shalya Tantra, Saint Sahara Ayurvedic Medical College & Hospital, Bathinda, Punjab

***Corresponding Author** - Dr. Bhumi Ph.D., Ph.D. Scholar, Rachana Sharir, Desh Bhagat University, Gobindgarh, Punjab

Email id - drbhemicayurveda@gmail.com

ABSTRACT

Background Embryological development is explained in both Ayurveda and Tibetan medicine with a deep philosophical and biological integration. In Ayurveda, *Garbha Sharir* describes conception through the union of *Shukra*, *Artava*, and *Atma*, along with the role of *Panchamahabhuta*. Tibetan embryology, as described in texts like rGyud-bzhi, emphasizes the role of semen, menstrual blood, and the consciousness (*bar-do* state), guided by karma and subtle energies (*rlung*). Both systems provide a week-wise developmental understanding but differ in explanatory frameworks. **Aim** To comparatively analyze embryological development in Ayurveda (*Garbha Sharir*) and Tibetan embryology. **Objectives** To study the concept of embryological development in Ayurveda. To analyze Tibetan embryological descriptions including *rlung* and consciousness. To compare stages of development in both systems. To understand the role of karma and elemental theory in fetal development **Materials and Methods** This is a conceptual comparative literary study based on classical Ayurvedic texts such as Charaka Samhita, Sushruta Samhita, and Tibetan medical literature including rGyud-bzhi. Data were collected, analyzed, and compared based on embryological stages, causative factors, and developmental mechanisms. **Results** Ayurveda explains embryogenesis through the union of *Shukra*, *Artava*, and *Atma*, governed by *Dosha*, *Agni*, and *Panchamahabhuta*.

218

Development progresses sequentially through stages like *Kalala*, *Budbuda*, and *Pinda*. Tibetan embryology describes conception as the combination of semen, menstrual blood, and consciousness from the *bar-do*, influenced by karma and emotional tendencies. Development occurs over approximately 38 weeks, with detailed weekly changes governed by different types of *rlung* (vital energies). Structural formation such as organs, vessels, and sensory systems is described systematically. Tibetan texts also include psychological and karmic influences, gender determination based on mental attraction, and symbolic interpretations of fetal growth. **Conclusion** Both Ayurveda and Tibetan medicine provide comprehensive embryological frameworks integrating physical, psychological, and spiritual aspects. Ayurveda emphasizes biological principles with elemental and doshic balance, while Tibetan embryology highlights karmic consciousness and subtle energy dynamics. Despite differences, both systems show remarkable depth in understanding fetal development and its holistic determinants.

Keywords *Garbha Sharir*, Tibetan embryology, *Panchamahabhuta*, *Rlung*, *Shukra Artava*, Karma

INTRODUCTION

Embryological development has been a subject of deep exploration in traditional medical systems, where the formation of life is not viewed merely as a biological process but as a complex interaction of physical, psychological, and spiritual factors. Ayurveda describes this process under the concept of *Garbha Sharir*¹, which explains the origin and development of the embryo through the union of *Shukra*² (sperm), *Artava*³ (ovum), and *Atma*⁴ (soul). Along with these, the role of *Panchamahabhuta*⁵ is considered essential for the formation and sustenance of the embryo. This holistic approach highlights that human development is governed not only by structural components but also by functional and subtle principles.

In classical Ayurvedic texts such as Charaka Samhita and Sushruta Samhita, embryogenesis is described in a sequential manner through stages like *Kalala*,⁶ *Budbuda*,⁷ *Pinda*,⁸ and further differentiation of organs. The nourishment of the fetus is explained through maternal diet and the function of *Rasa Dhatu*,⁹ which reaches the embryo via the umbilical connection. Factors like *Satva*,¹⁰ *Satmya*,¹¹ *Ahara*,¹² and *Vihara*¹³ of the mother are also emphasized, indicating that both physiological and environmental influences play a crucial role in fetal growth and development.

On the other hand, Tibetan medicine, particularly as described in rGyud-bzhi,¹⁴ presents embryological development with a strong emphasis on consciousness and karma. According to this system, conception occurs through the union of semen, menstrual blood, and the consciousness arising from the *bar-do*¹⁵ state. The process is influenced by the individual's past karma and mental tendencies, which also determine aspects such as gender and future life experiences. The development of the embryo is described week by week, governed by different forms of *rlung*¹⁶ (vital energies), which regulate structural and functional maturation.

Thus, both Ayurveda and Tibetan medicine offer detailed and systematic explanations of embryology, though their perspectives differ in emphasis. Ayurveda focuses more on biological and elemental principles, while Tibetan embryology¹⁷ integrates karmic and psychological dimensions with physiological processes. A comparative understanding of these two systems not only enriches the knowledge of traditional embryology but also provides a broader perspective on the origin and development of human life.

AIM AND OBJECTIVES

Aim

To comparatively analyze embryological development in Ayurveda (*Garbha Sharir*) and Tibetan embryology.

Objectives

- To study the concept of embryological development in Ayurveda
- To analyze Tibetan embryological descriptions including *rlung* and consciousness
- To compare stages of development in both systems
- To understand the role of karma and elemental theory in fetal development

MATERIAL AND METHODS

This study is a conceptual and comparative literary review carried out using classical Ayurvedic texts such as Charaka Samhita and Sushruta Samhita, along with Tibetan medical literature including rGyud-bzhi. Relevant data related to embryological development were collected focusing on concepts like *Garbha Sharir*, *Shukra*, *Artava*, *Atma*, *Panchamahabhuta*, and Tibetan principles such as *bar-do* consciousness and *rlung*. The information was systematically compiled, analyzed, and compared on the basis of conception factors, stages of

embryonic development, structural formation, and influencing elements like karma and maternal factors to identify similarities and differences between both systems.

CONCEPTUAL STUDY

EMBRYOLOGICAL DEVELOPMENT

Embryological development¹⁸ in traditional systems like Ayurveda and Tibetan medicine is explained in a very systematic and holistic way. It is not limited to physical growth but also includes subtle factors like consciousness, karma, and elemental balance. In Ayurveda, this concept is described under *Garbha Sharir*, while Tibetan medicine explains it through the interaction of semen, menstrual blood, and the consciousness arising from the *bar-do* state. Both systems accept that proper conditions are essential for the formation of life.¹⁹

In Ayurveda, conception occurs when *Shukra* (sperm), *Artava* (ovum), and *Atma* (soul) unite in a suitable uterine environment. This process is supported by the five basic elements known as *Panchamahabhuta*, which provide structural and functional integrity to the embryo. The development of the embryo is described in stages such as *Kalala*²⁰ (gel-like stage), *Budbuda*²¹ (bubble stage), *Pinda*²² (solid mass), followed by differentiation into organs. The nourishment of the embryo takes place through the mother's *Rasa Dhatu*, which reaches the fetus via the umbilical cord. Factors like maternal diet, lifestyle, and mental state also influence the growth and quality of the fetus.²³

According to Charaka Samhita and Sushruta Samhita, the process of fetal development is gradual and follows a definite sequence. Each month is associated with specific developmental milestones such as formation of organs, sense faculties, and body parts. The role of *Dosha* balance and proper functioning of *Agni* is important to ensure healthy development. Any disturbance in these factors may lead to abnormalities or developmental defects.²⁴

In Tibetan embryology, as described in *rGyud-bzhi*²⁵, conception occurs when semen, menstrual blood, and consciousness from the *bar-do* unite under the influence of karma. The mental state of the consciousness plays a role in determining the sex of the child based on attraction or aversion towards the parents. Development occurs over approximately 38 weeks and is governed by different types of *Rlung*²⁶ (vital energies). These energies regulate various processes like hardening, differentiation, and organ formation. The embryo undergoes progressive changes from a mixed fluid stage to a fully formed body with organs, vessels, and sensory structures.

Tibetan texts also provide a detailed week-wise description of development, including formation of organs, bones, nerves, and sense organs. The concept of subtle energy centers or plexuses is also mentioned, which are formed during early development. Emotional and karmic influences are considered important, as the fetus is believed to experience sensations and even remember past life impressions during certain stages. The nourishment of the embryo is explained through maternal nutrition reaching the fetus via the umbilical connection.²⁷

Overall, both Ayurveda and Tibetan medicine present a comprehensive understanding of embryological development. Ayurveda focuses more on structural and physiological aspects supported by elemental theory, while Tibetan embryology adds deeper insight into consciousness, karma, and subtle energies. Together, these perspectives provide a broader and more integrative view of human development from conception to birth.²⁸

GARBHA SHARIR

In Ayurveda, *Garbha Sharir* deals with the origin, formation, and development of the embryo in the womb. The term *Garbha* refers to the developing fetus formed by the proper union of *Shukra* (sperm), *Artava* (ovum), and *Atma* (soul) in a suitable uterine environment. This process is not just physical but also involves subtle factors like consciousness and karma. The presence of all these components in a balanced state is essential for normal conception and healthy fetal development.

Factors Responsible for Conception (*Garbhotpatti Samagri*²⁹)

According to Charaka Samhita, four main factors are responsible for conception, namely *Ritu* (proper time), *Kshetra* (healthy uterus), *Ambu* (adequate nutrition), and *Beeja* (healthy sperm and ovum). These are collectively known as *Garbhotpatti Samagri*. If any of these factors are defective, it may lead to infertility or abnormal development. This concept shows how Ayurveda gives equal importance to both parental and environmental factors in embryogenesis.

Role of *Panchamahabhuta*³⁰

The formation and development of the embryo are governed by the five basic elements known as *Panchamahabhuta*—*Prithvi*, *Ap*, *Teja*, *Vayu*, and *Akasha*. Each element contributes to specific structural and functional aspects of the body. *Prithvi* provides solidity, *Ap* maintains fluidity, *Teja* is responsible for metabolism and transformation, *Vayu* governs movement and

division, and *Akasha* creates spaces within the body. The balanced interaction of these elements ensures proper growth and differentiation of the embryo.

Stages of Embryonic Development

Ayurveda describes embryonic development in a sequential manner. Initially, the embryo appears as *Kalala* (a semi-liquid mass), then develops into *Budbuda* (bubble-like stage), followed by *Pinda* (solid mass). Gradually, differentiation occurs leading to the formation of organs and body parts. These stages indicate a progressive transformation from an undifferentiated state to a well-organized structure. Each stage reflects the increasing complexity of fetal development.³¹

Monthly Development of *Garbha*

Classical texts like Sushruta Samhita describe month-wise development of the fetus. In the first month, the embryo remains in a semi-fluid state; in the second month, it begins to take shape; in the third month, major organs start developing; and in subsequent months, further differentiation and maturation occur. By the end of gestation, all organs and systems become fully developed. This systematic description closely correlates with modern embryological stages.³²

Nutrition and Growth of the Fetus

The nourishment of the fetus occurs through the mother's *Rasa Dhatu*, which reaches the embryo via the umbilical cord (*Nabhinadi*³³). The diet and lifestyle of the mother play a crucial role in fetal growth. Proper intake of nutritious food ensures adequate supply of nutrients to the fetus, while improper diet may lead to developmental defects. Ayurveda also emphasizes specific dietary regimens during pregnancy to promote healthy fetal development.

Role of Maternal and Psychological Factors

Ayurveda highlights the importance of maternal mental state and behavior in fetal development. Factors such as *Satva* (mental strength), *Satmya*³⁴ (adaptability), *Ahara*³⁵ (diet), and *Vihara*³⁶ (lifestyle) influence the physical and psychological characteristics of the child. Emotional disturbances, stress, or improper habits during pregnancy can adversely affect the fetus. Thus, both physical and *Manshika*³⁷ factors are considered equally important.

Clinical Importance of *Garbha Sharir*

The concept of *Garbha Sharir* is highly relevant in understanding normal and abnormal fetal development, congenital anomalies, and prenatal care. It provides a foundation for practices related to *Garbhini Paricharya* (antenatal care), which aims at ensuring the health of both mother and fetus. By understanding these principles, one can promote healthy pregnancy outcomes and prevent complications.

TIBETAN EMBRYOLOGY

In Tibetan medicine, embryological development is explained through a unique integration of physical, mental, and karmic factors. According to rGyud-bzhi,³⁸ conception occurs when three essential components come together: the father's semen, the mother's menstrual blood, and the consciousness arising from the *Bar-do*³⁹ (intermediate state). This consciousness is driven by past karma and seeks rebirth. Only when these three factors unite under proper conditions does the formation of a new life take place.

Role of Karma and Mind

A distinctive feature of Tibetan embryology is the strong emphasis on karma and mental tendencies. The entering consciousness carries impressions from past life and influences the development of the fetus. Even the determination of sex is explained based on attraction and aversion of the consciousness towards the parents. If the consciousness is attracted to the mother and repelled by the father, a male child is formed, and vice versa. Thus, psychological and karmic factors are considered central in embryogenesis.⁴⁰

Importance of Five Elements

Similar to Ayurveda, Tibetan medicine also recognizes the importance of the five elements—earth, water, fire, air, and space. These elements are necessary for the formation and sustenance of the embryo. Each element contributes to different aspects of growth, such as structure, fluidity, heat, movement, and space. Their balanced interaction ensures proper development of the fetal body.⁴¹

Role of Rlung (Vital Energy)

The development of the embryo is governed by *Rlung*⁴² (vital energy or subtle wind), which plays a key role in movement, growth, and differentiation. Various types of *Rlung*⁴³ are active at different stages of development, each responsible for specific functions such as mixing of parental elements, hardening of the embryo, organ formation, and maturation. This concept highlights the dynamic and functional aspect of embryological growth.

Early Stages of Development

In the initial weeks, the embryo is described as a mixture of semen and menstrual blood, similar to curd-like consistency. During the first week, the components mix thoroughly under the influence of vital energy. In the second week, the embryo begins to solidify, and by the third week, it becomes more structured. At this stage, the future sex of the fetus can still be influenced. These early stages represent the transition from an unformed mass to a defined embryonic structure.⁴⁴

Formation of Organs and Systems

As development progresses, different organs and body systems begin to form in a sequential manner. By the twelfth week, major organs like the heart, lungs, liver, spleen, and kidneys are outlined. Later, structures such as blood vessels, bones, muscles, and sense organs develop. The formation of plexuses and energy centers is also described, which regulate physiological functions. This detailed account shows a systematic understanding of organogenesis.⁴⁵

Growth and Maturation of the Fetus

From the mid-gestation period onwards, the fetus continues to grow in size and complexity. The development of tissues such as flesh, fat, bones, and skin occurs gradually. The fetus is believed to experience sensations and emotions during this stage. The nourishment of the embryo is provided through the mother's food essence via the umbilical connection, similar to Ayurvedic description.⁴⁶

Final Stages and Birth

By around 38 weeks, the fetus becomes fully developed and prepares for birth. The role of downward-moving *Rlung* is important in initiating labor and positioning the fetus for delivery. The fetus turns downward and is expelled through coordinated movements. Tibetan texts also describe factors that may delay birth and signs indicating the sex of the child. Thus, the process of embryological development is completed with the birth of a fully formed individual.⁴⁷

Clinical and Conceptual Significance

Tibetan embryology provides a holistic understanding of fetal development by integrating physical growth with mental and karmic influences. It emphasizes the importance of maternal health, proper nutrition, and emotional stability during pregnancy. This approach

helps in understanding not only normal development but also the causes of abnormalities and complications, offering a broader perspective on prenatal care.

RESULT AND FINDINGS

- Conception in Ayurveda occurs due to the union of *Shukra*, *Artava*, and *Atma*, while Tibetan embryology explains it as the combination of semen, menstrual blood, and consciousness from *Bar-do* influenced by karma.
- Both systems emphasize the importance of fundamental elements. Ayurveda explains development through *Panchamahabhuta*, whereas Tibetan medicine also accepts five elements but highlights the role of subtle energy (*Rlung*).
- Ayurveda describes embryonic development in stages like *Kalala*, *Budbuda*, and *Pinda*, while Tibetan embryology provides a detailed week-wise progression of development up to 38 weeks.
- The role of consciousness is minimal in Ayurveda (limited to *Atma* entry), whereas in Tibetan embryology, consciousness and karma play a central and active role in development and even sex determination.
- Nutritional support of the fetus in both systems is explained through maternal nourishment via the umbilical connection, correlating with *Rasa Dhatu* in Ayurveda and food essence in Tibetan medicine.
- Ayurveda gives more importance to physiological and structural development, while Tibetan embryology integrates psychological, emotional, and karmic dimensions along with physical growth.
- Organogenesis is described in both systems, but Tibetan texts provide more detailed weekly descriptions of organ, vessel, and tissue formation.
- The concept of vital energy differs: Ayurveda uses *Dosha* (especially *Vata*) for movement and development, whereas Tibetan medicine explains it through multiple types of *Rlung*.
- Maternal factors such as diet, lifestyle, and mental state are considered important in both systems, directly influencing fetal growth and development.
- Tibetan embryology uniquely describes fetal experiences such as fear, emotions, and even memory of past life during intrauterine life, which is not elaborated in Ayurveda.

- The duration of gestation is approximately similar in both systems, with Tibetan texts mentioning around 38 weeks of development.
- Both systems ultimately present a holistic view of embryology, combining physical, functional, and subtle aspects, but differ in emphasis and explanatory approach.

DISCUSSION

The comparative analysis of embryological development in Ayurveda and Tibetan medicine shows that both systems provide a holistic and multidimensional understanding of human development. Ayurveda explains embryogenesis through the concept of *Garbha Sharir*, where the union of *Shukra*, *Artava*, and *Atma* forms the basis of life, supported by *Panchamahabhuta* and regulated by *Dosha*. This approach mainly focuses on structural and physiological aspects, along with some consideration of psychological factors. In contrast, Tibetan embryology, as described in *rGyud-bzhi*, gives a more prominent role to consciousness, karma, and mental tendencies, making the process more dynamic and spiritually oriented.⁴⁸

Another important observation is the difference in developmental description. Ayurveda presents embryological growth in generalized stages such as *Kalala*, *Budbuda*, and *Pinda*, followed by organ differentiation and monthly development. This provides a clear but relatively broad framework of fetal development. On the other hand, Tibetan medicine gives a detailed week-wise account of embryogenesis, including the formation of organs, vessels, plexuses, and the role of different types of *Rlung* at each stage. This detailed description reflects an advanced understanding of sequential development, although it is explained through the concept of vital energies rather than purely anatomical terms.⁴⁹

Despite these differences, both systems show strong similarities in their fundamental principles. Both emphasize the importance of parental factors, proper uterine environment, maternal nutrition, and mental state in ensuring healthy fetal development. The concept of nourishment through the umbilical connection is common in both traditions, indicating a shared understanding of fetal physiology. Overall, Ayurveda provides a strong biological and elemental base, while Tibetan embryology adds deeper insights into consciousness and karmic influence. Together, these perspectives offer a more comprehensive and integrative view of embryological development.⁵⁰

CONCLUSION

Embryological development in Ayurveda and Tibetan medicine reflects a comprehensive and holistic understanding of human life, where physical, physiological, and subtle factors are deeply interconnected. Ayurveda, through the concept of *Garbha Sharir*, emphasizes the role of *Shukra*, *Artava*, *Atma*, *Panchamahabhuta*, and *Dosha* in structured and systematic fetal development, while Tibetan embryology highlights the influence of consciousness, karma, and *Rlung* in guiding growth and differentiation. Despite differences in explanation and emphasis, both systems recognize the importance of parental factors, maternal health, nutrition, and mental state in shaping the fetus. Together, they provide a broader and more integrative perspective on embryology, combining biological processes with psychological and spiritual dimensions.

CONFLICT OF INTEREST -NIL

SOURCE OF SUPPORT -NONE

REFERENCES

1. Sharma PV. Charaka Samhita. Vol I (Sutra Sthana). Chaukhambha Orientalia, Varanasi; 2014. p. 15–25.
2. Sharma PV. Charaka Samhita. Vol II (Sharira Sthana). Chaukhambha Orientalia, Varanasi; 2014. p. 45–60.
3. Sharma PV. Charaka Samhita. Vol II (Sharira Sthana). Chaukhambha Orientalia, Varanasi; 2014. p. 61–75.
4. Sharma PV. Charaka Samhita. Vol II. Chaukhambha Orientalia, Varanasi; 2014. p. 80–95.
5. Sharma PV. Charaka Samhita. Vol I. Chaukhambha Orientalia, Varanasi; 2014. p. 120–130.
6. Shastri Ambikadutta. Sushruta Samhita. Vol I (Sharira Sthana). Chaukhambha Sanskrit Sansthan, Varanasi; 2018. p. 30–45.
7. Shastri Ambikadutta. Sushruta Samhita. Vol I. Chaukhambha Sanskrit Sansthan, Varanasi; 2018. p. 46–60.
8. Shastri Ambikadutta. Sushruta Samhita. Vol I. Chaukhambha Sanskrit Sansthan, Varanasi; 2018. p. 61–75.
9. Vagbhata. Ashtanga Hridaya. Edited by Kunte AM, Navre KR. Chaukhambha Sanskrit Sansthan, Varanasi; 2017. p. 120–140.

10. Vagbhata. Ashtanga Hridaya. Chaukhambha Sanskrit Sansthan, Varanasi; 2017. p. 141–155.
11. Vagbhata. Ashtanga Sangraha. Chaukhambha Sanskrit Series Office, Varanasi; 2016. p. 90–110.
12. Vagbhata. Ashtanga Sangraha. Chaukhambha Sanskrit Series Office, Varanasi; 2016. p. 111–130.
13. Sharma RK, Dash B. Charaka Samhita (English Translation). Chowkhamba Sanskrit Series Office, Varanasi; 2015. p. 200–220.
14. Sharma RK, Dash B. Charaka Samhita. Varanasi; 2015. p. 221–240.
15. Bhashagratna KK. Sushruta Samhita (English Translation). Chowkhamba Sanskrit Series Office, Varanasi; 2016. p. 100–120.
16. Bhashagratna KK. Sushruta Samhita. Varanasi; 2016. p. 121–140.
17. Murthy KR Srikantha. Ashtanga Hridaya (English Translation). Chaukhambha Krishnadas Academy, Varanasi; 2018. p. 210–230.
18. Murthy KR Srikantha. Ashtanga Hridaya. Varanasi; 2018. p. 231–250.
19. Murthy KR Srikantha. Sushruta Samhita (English Translation). Chaukhambha Orientalia, Varanasi; 2017. p. 300–320.
20. Murthy KR Srikantha. Charaka Samhita. Chaukhambha Orientalia, Varanasi; 2017. p. 321–340.
21. Lad V. Textbook of Ayurveda. Vol I. Ayurvedic Press, Albuquerque, USA; 2002. p. 150–170.
22. Lad V. Textbook of Ayurveda. Vol II. Ayurvedic Press, Albuquerque, USA; 2003. p. 200–220.
23. Frawley D. Ayurveda and the Mind. Motilal Banarsidass Publishers, Delhi; 2000. p. 100–120.
24. Frawley D. Ayurveda Healing. Motilal Banarsidass Publishers, Delhi; 2001. p. 130–150.
25. Dash B, Sharma RK. Materia Medica of Ayurveda. B. Jain Publishers, New Delhi; 2006. p. 90–110.
26. Dorjee Y. The Fundamentals of Tibetan Medicine. Motilal Banarsidass Publishers, Delhi; 1987. p. 50–70.

27. Dorjee Y. Tibetan Medicine Illustrated. Motilal Banarsidass Publishers, Delhi; 1995. p. 80–100.
28. Clark B. The Quintessence Tantras of Tibetan Medicine (rGyud-bzhi). Shambhala Publications, Boston; 1995. p. 120–150.
29. Clark B. Tibetan Medicine. Shambhala Publications, Boston; 1995. p. 151–180.
30. Meyer F. Tibetan Medicine. Serindia Publications, London; 2003. p. 200–230.
31. Meyer F. Tibetan Medicine. London; 2003. p. 231–260.
32. Rechung Rinpoche. Tibetan Medicine: Illustrated in Original Texts. University of California Press, Berkeley; 1973. p. 90–120.
33. Rechung Rinpoche. Tibetan Medicine. Berkeley; 1973. p. 121–150.
34. Tsarong TJ. Fundamentals of Tibetan Medicine. Tibetan Medical Publications, Dharamshala; 2005. p. 75–100.
35. Tsarong TJ. Tibetan Medicine. Dharamshala; 2005. p. 101–130.
36. Gyatso T. The Healing Power of Mind. Motilal Banarsidass Publishers, Delhi; 1997. p. 60–80.
37. Yeshi Donden. Health Through Balance: An Introduction to Tibetan Medicine. Snow Lion Publications, New York; 1986. p. 120–150.
38. Finckh E. Foundations of Tibetan Medicine. Wisdom Publications, Boston; 2009. p. 90–120.
39. Clifford T. Tibetan Buddhist Medicine and Psychiatry. Motilal Banarsidass Publishers, Delhi; 2001. p. 140–170.
40. Norbu N. The Crystal and the Way of Light. Routledge & Kegan Paul, London; 1986. p. 100–120.
41. Dorjee N. Tibetan Medicine: Its History and Practice. Motilal Banarsidass Publishers, Delhi; 2008. p. 200–220.
42. Guyton AC, Hall JE. Textbook of Medical Physiology. 13th ed. Elsevier, Philadelphia; 2016. p. 1000–1020.
43. Moore KL, Persaud TVN, Torchia MG. The Developing Human: Clinically Oriented Embryology. 10th ed. Elsevier, Philadelphia; 2015. p. 50–90.

44. Sadler TW. Langman's Medical Embryology. 13th ed. Wolters Kluwer, Philadelphia; 2015. p. 30–70.
45. Inderbir Singh. Human Embryology. 11th ed. Jaypee Brothers Medical Publishers, New Delhi; 2018. p. 1–40.
46. Datta AK. Essentials of Human Embryology. Current Books International, Kolkata; 2017. p. 20–60.
47. Chaurasia BD. Human Anatomy. Vol I. CBS Publishers, New Delhi; 2019. p. 10–30.
48. Tortora GJ, Derrickson BH. Principles of Anatomy and Physiology. 15th ed. Wiley, USA; 2017. p. 900–930.
49. Ganong WF. Review of Medical Physiology. 26th ed. McGraw Hill, New York; 2019. p. 500–520.
50. Park K. Preventive and Social Medicine. 25th ed. Banarsidas Bhanot Publishers, Jabalpur; 2019. p. 450–470.