



Review Article

Volume 15 Issue 02

March - April 2026

**IODINE DEFICIENCY DISORDERS (IDD): ENDOCRINE DYSFUNCTION, GROWTH
IMPAIRMENT, AND REPRODUCTIVE HEALTH CONSEQUENCES**

Mamatqulova Nargiza O`ktam Qizi

1st-year student of the Faculty of Medicine,
Termez University of Economics and Service

nargizamamatqulova24@gmail.com

Ruziyeva Gulsara Temirkulovna,

Termez University of Economics and Service Department of "Natural Sciences" PhD,
acting associate professor

E-mail: Ruziyeva.gulsara@gmail.com, gulsara_ruziyeva@tues.uz

<https://orcid.org/0009-0009-2634-063X>, Tel.:+998975327322

Annotatsiya. Mazkur maqolada yod yetishmovchiligining inson organizmiga, ayniqsa endokrin tizim faoliyatiga ta'siri kompleks ravishda tahlil qilinadi. Yod qalqonsimon bez gormonlari — tiroksin (T4) va triyodtironin (T3) sintezi uchun zarur mikroelement hisoblanadi va uning yetishmovchiligi gormonal disbalansga olib keladi. Tadqiqotda yod tanqisligining o'sish va rivojlanishga salbiy ta'siri, jumladan, bo'y o'sishining sekinlashuvi, metabolizm buzilishi va tana vaznining ortishi kabi holatlar ko'rib chiqilgan. Shuningdek, ayollarda reproduktiv salomatlik buzilishlari, gormonal funksiyalarning izdan chiqishi hamda homila rivojlanishidagi kechikishlar yoritilgan. Maqolada yod yetishmovchiligining asosiy sabablari, jumladan, oziq-ovqat tarkibida yodning yetarli emasligi va ekologik omillar tahlil qilinadi hamda profilaktik chora-tadbirlar asoslab beriladi.

Kalit so'zlar: yod yetishmovchiligi, qalqonsimon bez, T3 va T4 gormonlari, endokrin tizim, o'sish buzilishi, reproduktiv salomatlik

Аннотация. В данной статье комплексно рассматривается влияние дефицита йода на организм человека, особенно на функционирование эндокринной системы. Йод является важным микроэлементом, необходимым для синтеза гормонов щитовидной железы — тироксина (Т4) и трийодтиронина (Т3), и его недостаток приводит к гормональному

дисбалансу. В исследовании анализируется влияние дефицита йода на процессы роста и развития, включая замедление роста, нарушения обмена веществ и увеличение массы тела. Особое внимание уделено нарушениям репродуктивного здоровья у женщин, дисфункции гормональной системы и задержке развития плода. Также рассматриваются основные причины дефицита йода, включая недостаточное содержание йода в питании и влияние экологических факторов, а также предлагаются профилактические меры.

Ключевые слова: дефицит йода, щитовидная железа, гормоны T3 и T4, эндокринная система, рост, репродуктивное здоровье

Abstract. This article provides a comprehensive analysis of the effects of iodine deficiency on the human body, with a particular focus on the endocrine system. Iodine is an essential micronutrient required for the synthesis of thyroid hormones — thyroxine (T4) and triiodothyronine (T3), and its deficiency leads to hormonal imbalance. The study examines the negative impact of iodine deficiency on growth and development, including growth retardation, metabolic disturbances, and weight gain. In addition, particular attention is given to reproductive health disorders in women, hormonal dysfunction, and delayed fetal development. The article also analyzes the main causes of iodine deficiency, such as insufficient dietary intake and environmental factors, and highlights effective preventive measures.

Keywords: iodine deficiency, thyroid gland, T3 and T4 hormones, endocrine system, growth impairment, reproductive health

INTRODUCTION

Iodine deficiency remains one of the most widespread micronutrient deficiencies worldwide and continues to be a significant public health concern, particularly in developing regions. According to the World Health Organization¹, iodine deficiency disorders (IDD) affect millions of people and are considered one of the leading causes of preventable intellectual impairment globally. Iodine is an essential trace element required for the synthesis of thyroid hormones — thyroxine (T4) and triiodothyronine (T3), which play a crucial role in regulating metabolism, growth, and neurodevelopment².

The physiological importance of iodine is primarily associated with the proper functioning of the thyroid gland, which is regulated by the hypothalamic-

¹ World Health Organization. (2007). *Assessment of iodine deficiency disorders and monitoring their elimination: A guide for programme managers* (3rd ed.). Geneva: WHO.

² Arthur C. Guyton, A. C., & John E. Hall, J. E. (2020). *Textbook of Medical Physiology* (14th ed.). Elsevier.

pituitary–thyroid (HPT) axis. The hypothalamus secretes thyrotropin-releasing hormone (TRH), which stimulates the pituitary gland to release thyroid-stimulating hormone (TSH), ultimately controlling thyroid hormone production. In conditions of iodine deficiency, the synthesis of T3 and T4 is impaired, leading to increased secretion of TSH and subsequent enlargement of the thyroid gland, commonly known as goiter³.

Numerous studies have demonstrated that iodine deficiency has profound effects on human growth and development, particularly during critical periods such as childhood and adolescence. Insufficient thyroid hormone production may result in growth retardation, delayed skeletal development, and metabolic disturbances, including weight gain and reduced energy expenditure⁴. Furthermore, iodine deficiency significantly affects cognitive function, leading to reduced intellectual capacity and impaired neurological development (Hetzl, 1983).

The impact of iodine deficiency is especially critical in women of reproductive age and during pregnancy. Maternal iodine deficiency is associated with adverse outcomes such as infertility, hormonal imbalance, miscarriage, and impaired fetal brain development (Glinioer, 1997). Severe iodine deficiency during pregnancy may lead to cretinism, a condition characterized by irreversible mental and physical developmental abnormalities.

In addition to biological factors, environmental and dietary conditions play a key role in the prevalence of iodine deficiency. Regions with iodine-deficient soil and limited access to iodine-rich foods, such as seafood, are particularly vulnerable (FAO & WHO, 2004). In many Central Asian countries, including Uzbekistan, iodine deficiency remains a relevant issue due to insufficient dietary intake and limited consumption of iodized salt. Given the multifactorial nature of iodine deficiency and its wide-ranging consequences on endocrine function, growth, and reproductive health, it is essential to comprehensively study its pathophysiological mechanisms and develop effective preventive strategies. Therefore, this study aims to analyze the impact of iodine deficiency on endocrine regulation, physical development, and reproductive health outcomes.

³ Michael B. Zimmermann, M. B. (2009). Iodine deficiency. *Endocrine Reviews*, 30(4), 376–408.

⁴ François Delange, F. (2001). Iodine deficiency as a cause of brain damage. *Postgraduate Medical Journal*, 77(906), 217–220.

MATERIALS AND METHODS

This study was designed to analyze the impact of iodine deficiency on endocrine function, growth processes, and reproductive health based on a comprehensive review and analytical approach. The research combines theoretical analysis with the interpretation of physiological and clinical data reported in existing scientific sources. The object of the study includes individuals at different stages of development, with particular attention given to adolescents and women of reproductive age, as these groups are considered the most vulnerable to iodine deficiency. The subject of the research focuses on the functional changes occurring in the endocrine system under conditions of insufficient iodine intake, as well as the resulting physiological and developmental consequences.

A systematic approach was applied to examine the relationship between iodine intake and hormonal regulation. Scientific literature, including textbooks, peer-reviewed journal articles, and international health reports, was analyzed to identify consistent patterns and mechanisms associated with iodine deficiency. Comparative analysis was used to evaluate findings from different studies and to determine common trends in growth impairment, metabolic disturbances, and reproductive health outcomes.

In addition, elements of physiological analysis were employed to explain the mechanisms through which iodine deficiency affects hormone production and endocrine balance. Particular attention was given to the interaction between the hypothalamus, pituitary gland, and thyroid gland, as well as to the broader systemic effects of hormonal imbalance on the human body. The study also incorporates descriptive analysis to summarize observed clinical manifestations, such as growth retardation, weight changes, and reproductive dysfunction. These observations are based on documented medical data and widely accepted physiological principles. To ensure the reliability of the findings, only scientifically validated and widely recognized sources were used. The collected data were critically evaluated and organized in a logical sequence to support clear interpretation and conclusion.

RESULTS AND DISCUSSION

The analysis of scientific data shows that iodine deficiency leads to significant disturbances in endocrine regulation, which subsequently affect multiple physiological systems. The primary effect is observed in the decreased production of thyroid hormones, which are essential for maintaining metabolic balance, growth, and neurological function. As a result, iodine deficiency produces a chain of interconnected disorders within the human body.

Table 1. Systemic effects of iodine deficiency on the human body

System / Aspect	Physiological role	Effects of iodine deficiency
Thyroid gland	Hormone production and regulation	Reduced hormone synthesis, gland enlargement
Metabolism	Energy production and balance	Slowed metabolism, weight gain
Growth and development	Physical growth and maturation	Growth retardation, delayed development
Nervous system	Cognitive and brain function	Memory decline, reduced intellectual capacity
Reproductive system	Hormonal regulation and fertility	Hormonal imbalance, fertility disorders

As presented in Table 1, iodine deficiency affects several systems simultaneously, demonstrating its systemic nature. The most critical disturbance occurs in the thyroid gland, where insufficient iodine intake directly limits hormone synthesis. This hormonal deficiency disrupts metabolic processes, leading to decreased energy production and accumulation of body weight.

In adolescents, the results indicate a clear association between iodine deficiency and impaired growth. Reduced hormonal activity slows down cellular processes responsible for tissue development, resulting in shorter height and delayed physical maturation. At the same time, decreased metabolic rate contributes to weight imbalance, which is frequently observed in iodine-deficient populations. The nervous

system is also highly sensitive to iodine deficiency⁵. The findings show that insufficient hormone levels negatively affect brain function, leading to reduced concentration, memory impairment, and lower cognitive performance. These effects are particularly pronounced during developmental stages, when proper hormonal support is essential for normal brain maturation.

In terms of reproductive health, iodine deficiency leads to hormonal instability that disrupts normal physiological cycles. Women are especially affected, as hormonal imbalance may result in irregular reproductive function and complications during pregnancy. Insufficient iodine intake during this period increases the risk of delayed fetal development and long-term neurological deficits⁶. Furthermore, the analysis highlights that iodine deficiency is strongly influenced by environmental and dietary factors. Limited intake of iodine-rich foods and low iodine content in soil contribute to the persistence of this condition in certain regions. These findings confirm that iodine deficiency is not only a biological issue but also a nutritional and ecological problem.

Overall, the results demonstrate that iodine deficiency has a complex and widespread impact on the human body. Its influence extends beyond a single organ system and affects fundamental physiological processes, emphasizing the importance of adequate iodine intake and preventive strategies.

CONCLUSION

The findings of this study demonstrate that iodine deficiency is a critical factor affecting the normal functioning of the endocrine system and overall physiological balance in the human body. Insufficient iodine intake disrupts the synthesis of thyroid hormones, leading to hormonal imbalance and a wide range of systemic consequences.

One of the most significant impacts of iodine deficiency is observed in growth and development. Reduced hormone production slows down metabolic processes and impairs physical growth, particularly in adolescents. In addition, the deficiency negatively affects cognitive function, resulting in decreased intellectual performance and learning capacity, especially during early developmental stages.

⁵ Glinoe, D. (1997). The regulation of thyroid function in pregnancy. *Endocrine Reviews*, 18(3), 404–433.

⁶ Zimmermann, M. B. (2012). The effects of iodine deficiency in pregnancy and infancy. *Paediatric and Perinatal Epidemiology*, 26(s1), 108–117.

The study also highlights the strong relationship between iodine deficiency and reproductive health disorders. In women, hormonal imbalance leads to disturbances in reproductive function, while during pregnancy it increases the risk of delayed fetal development and long-term neurological impairment in offspring. Furthermore, the results indicate that iodine deficiency is closely linked to environmental and nutritional factors, including low iodine content in soil and insufficient intake of iodine-rich foods. This confirms that the problem is not only biological but also socio-economic and ecological in nature. In conclusion, iodine deficiency represents a serious public health issue with long-term consequences for human development and well-being. Ensuring adequate iodine intake through proper nutrition and preventive strategies remains essential for maintaining endocrine health and preventing related disorders

REFERENCES

1. Guyton, A. C., & Hall, J. E. (2020). *Textbook of Medical Physiology* (14th ed.). Elsevier.
2. Zimmermann, M. B. (2009). Iodine deficiency. *Endocrine Reviews*, 30(4), 376–408.
3. Zimmermann, M. B. (2012). The effects of iodine deficiency in pregnancy and infancy. *Paediatric and Perinatal Epidemiology*, 26(s1), 108–117.
4. Hetzel, B. S. (1983). Iodine deficiency disorders and their eradication. *The Lancet*, 322(8359), 102–112.
5. Delange, F. (2001). Iodine deficiency as a cause of brain damage. *Postgraduate Medical Journal*, 77(906), 217–220.
6. Glinoe, D. (1997). The regulation of thyroid function in pregnancy. *Endocrine Reviews*, 18(3), 40–43.
7. World Health Organization. (2007). *Assessment of iodine deficiency disorders and monitoring their elimination* (3rd ed.). Geneva.
8. FAO & WHO. (2004). *Vitamin and mineral requirements in human nutrition* (2nd ed.). Rome.
9. UNICEF. (2008). *Sustainable elimination of iodine deficiency*. New York.